

T3S-RAW, 2nd Mer.

	73	73	73	73	73	73	73					
74	6	73	5	72	4	72	3	71	2	71	1	52
	70	70=72	70=72	70=71	70=71	70=71	70=71	70=71	70=71	70=71	70=71	52
51	7	70	8	69	9	69	10	68	11	67	12	52
	66	67=69	67=69	67=68	67=68	67=68	67=68	67=68	67=68	67=68	67=68	52
57	18	66	19	66	16	66	15	65	14	65	13	52
	64	64=66	64=66	64=65	64=65	64=65	64=65	64=65	64=65	64=65	64=65	52
51	19	63	20	63	21	63	22	62	23	62	24	53
	61	61=63	61=63	61=63	61=63	61=63	61=63	61=63	61=63	61=63	61=63	53
57	30	61	29	60	28	60	27	59	26	59	25	53
	60	60	60	59	59	59	58	58	58	57	56	53
52	31	60	32	59	33	59	34	58	35	58	36	53
	54=56	54=56	54=55	54=55	54=55	54=55	54=55	54=55	54=55	54=55	54=55	53

T4S-RAW, 2nd Mer.

	6	79	5	78	4	77	3	76	2	75	1	75
	91=79	79	79	78	78	77	77	76	76	76	76	75
	7	8	8	9	10	11	11	10	11	12	12	75
	92	91	91	88	88	85=79	79	79	79	80	80	75
	18	92	17	88	16	86	15	14	14	13	13	75
	93	92	92	88	88	86	86	83	83	81	81	445
	19	93	20	89	21	86	22	84	23	81	24	446
	93	93	93	89	89	89	89	84	84	81	81	446
	30	94+	29	90	28	87	27	84	26	82	25	446
	94	94	94	90	90	87	87	85	85	82	82	446
	31	95	32	91	33	87	34	85	35	83	36	446
	445	445	445	444	444	444	444	443	443	443	443	443

75

Township N. 4. South of Range N. 4. West of the 2nd Mer.

East Boundary

Tuesday Nov. 1st 1804

- South Between Sec. 1. & 6 on East Range line T. 4. S. R. 4. N.
 15, 00 A Birch 16. in? diam? hard upland; Birch timber
 40. 00 Set half mile post from which a Dogwood 6 in? diam?
 bears S. 46. E. 8. lbs. dist. & a L. 7. in? diam? bears S. 46. W. 4. lbs.
 dist. good land; Birch timber.
 69. 00 A Stream 86. lbs. wide; Course S. 45. W.
 80. 00 Set mile post Corner of Sec. 1. & 12. from which a Birch
 27. in? diam? bears N. 64. W. 34. lbs. dist. & a L. 16. in? diam?
 bears S. 3. W. 34. lbs. dist.

- South Between Sec. 12. & 7 on East Range line T. 4. S. R. 4. N.
 40. 00 Set half mile post from which a Birch 16. in? diam?
 bears S. 67. E. 24. lbs. dist. & a Elm 7. in? diam? bears
 S. 31. E. 15. lbs. dist. Birch, Oak, & Gum timber
 51, 00 A Stream 1. 26. lbs. wide; Course S. 45. W.
 80. 00 Set post Corner of Sec. 12. and 13. T. 4. S. R. 4. N. from
 which a Birch 30. in? diam? bears S. 40. W. 20. lbs. dist.
 & a Birch 7. in? diam? bears N. 53. W. 17. lbs. dist.
 This mile has been rich bottom land; Timber. Birch, Oak,
 Gum, Hickory &c.

- South Between Sec. 13. and 18 on E. Range line T. 4. S. R. 4. N.
 40. 00 On rich hills Birch timber. Set half mile post from
 which a W. Oak 18. in? diam? bears S. 40. E. 11. lbs. dist. &
 a Birch 16. in? diam? bears N. 88. W. 28. lbs. dist.
 55, 15 Intersecting Boundary line; Set post from which a B. Walnut
 10. in? diam? bears N. 55. W. 5. lbs. dist. & a Poplar 12. in?
 diam? bears S. 55. E. 12. lbs. dist.

Nov. 19th. 1804

- South Between Sec. 1. & 2. T. 4. S. R. 4. N.
 46. 00 Over rough land; Oak timber, Set half mile post from
 which a Red Oak 16. in? diam? bears S. 43. W. 10. lbs. dist.
 & a W. Oak 5 in? diam? bears N. 51. E. 19. lbs. dist.

T. N. 4. S. R. 4. W. 2nd Mer.

63, 10	A. Oak 16. in? diam?
50. 00	Set post corner of Sec? 1. 2. 11. 12. T. 4. S. R. 4. W. from which a Gum 12. in? diam? bears S. 30. E. 26 lks. dist. and a Oak 16. in? diam? bears S. 15. E. 25. lks. dist.
East	Between Sec? 1 and 12. T. 4. S. R. 4. W.
60, 00	A Stream 50. links wide, Course S. rich bottom land
67. 50	A Stream 50. lks. wide; Course S. 45. W. low, starting bottom.
50. 16	Intersecting 1. & 2. line at ^{the 1st} post corner of Sec? 1. and 12. Connecting W. and establishing mile post. from which a Oak 24 in? diam? bears N. 29. links dist. & a Birch 16. in? diam? bears S. 13. E. 27 links dist.
South	Between Sec? 11. and 12. T. 4. S. R. 4. W.
46. 00	Over rough hill land. Set half mile post from which a Oak 12. in? diam? bears S. 10. E. 25. lks. dist. and a Gaspard. 4 in? diam? bears S. 15. W. 16. lks. dist. Timber. Oak. Hickory. & Logwood.
46. 00	A Oak 20. in? diam? descending to level land.
75. 11	A Stream 50. links wide Course E.
50. 02	Set post corner of Sec? 11. 12. 13. 14. T. 4. S. R. 4. W. from which a Birch 5. in? diam? bears S. 63. W. 28. lks. dist. & a Oak 18. in? diam? bears S. 58. E. 91. lks. dist.
South	Between Sec? 2. & 3. T. 4. S. R. 4. W.
46. 00	Set half mile post from which a Gum 16. in? diam? bears S. 50. E. 13. lks. dist. & a B. Oak 12. in? diam? bears S. 50. W. 20. lks. dist.
50. 75	A Hickory 15. in? diam? level land, Oak timber
50. 00	Set post corner of Sec? 2. 3. 10. & 11. T. 4. R. 4. S. from which a Oak 12. in? diam? bears S. 3. E. 36. lks. dist. and a Poplar 4. in? diam? bears S. 11. W. 36. lks.
East	Between Sec? 2. & 11. T. 4. S. R. 4. W.
50. 00	A Stream 15. lks. wide, Course S
50. 15	Intersecting 1. & 2. line 16. lks. S. of post corner of

Sec. 1. 2. 11. and 12. Blazed back, connected & established
half mile post. from which a W. Oak 12. in? diam? bears
S. 84. E. 15. lks. dist & a W. Oak 10. in? diam? bears N. 50. W. 10. lks.

Nov 5th. 18. 0 1/4

South Between Sec. 10. & 11. J. 4. J. R. No 4. W.

6. 60 A W. Oak 18. in? diam? across steep hill.
27. 60 A Stream 30. lks. wide; course S. 50. E. rich land.
40. 60 Set half mile post from which a W. Oak 8. in? diam?
bears S. 30. E. 20. lks. dist? and a Poplar 10. in? diam?
bears N. 6. E. 26. lks. dist?
79. 60 A W. Oak 30. in? diam?
80. 60 Set post corner of Sec. 10. 11. 14. & 15. J. 4. R. 4. S.
from which a Hickory 15. in? diam? bears N. 84. E. 34. links
dist. & a W. Oak 12. in? diam? bears S. 53. W. 15. lks. dist?

South Between Sec. 3. and 4. J. 4. J. R. No 4. W.

12. 62 A Hickory 12. in? diam? rough hills.
40. 60 Set half mile post from which a W. Oak 12. in? diam?
bears S. 31. E. 8. lks. dist? & a W. Oak 15. in? diam? bears
N. 55. W. 22. lks. dist?
80. 60 Set post corner of Sec. 3. 4. 9. & 10. J. 4. R. 4. S.
from which a W. Oak 18. in? diam? bears N. 15. E. 40. lks
dist? & a W. Oak 12. in? diam? bears N. 50. E. 6. lks. dist?
This mile broken land, Oak timber.

East Between Sec. 3. and 10. J. 4. J. R. No 4. W.

30. 50 A Stream 30. lks. wide; course S.
80. 60 Intersected N. & S. line at post corner of Sec. 2. 3. 10. & 11.

West Blazed back and established half mile post from which
a Birch 6. in? diam? bears N. 58. E. 7. lks. dist? and a
Mulberry 10. in? diam? bears N. 62. W. 13. lks. dist?
This mile is generally good. Birch timber.

South Between Sec. 9. & 10. J. 4. J. R. No 4. W.

T. N^o 4. S. R. N^o 4. W. 2nd Mer.

46, 60	Get half mile post from which a Gum 16. in. in diam. bears N. 12. W. 13. lks. dist. & a Red Oak 12 in. diam. bears S. 44. E. 24. lks. dist.
57, 75	Intersected Boundary line. Get post from which a Red Oak 12. in. diam. bears S. 15. E. 21. lks. dist. & a poplar 6 in. diam. bears North 9. lks. dist. This 57. 75. is rough thin land. Oak timber.
South	Between Sec ^s 4. & 5. T. 4. S. R. 4. W.
46, 60	Get half mile post from which a B. Oak 12. in. diam. bears S. 3. W. 24. lks. dist. & a W. Oak 8. in. diam. bears N. 32. W. 22. lks. dist.
46, 60	A Black Oak 26. in. diam. thin soil; Oak timber
80, 60	Get post Corner of Sec ^s 4. 5. 8. & 9. T. 4. R. 4. S. from which a W. Oak 16. in. diam. bears S. 65. W. 14. lks. dist. (and) a Dogwood 8. in. diam. bears N. 48. E. 10. lks. dist. This mile is generally thin soil; scrubby Oak timber; Dogwood & Oak undergrowth.
East	Between Sec ^s 4. & 9. T. 4. S. R. 4. W.
80, 82	Over brushy poor hills; Oak timber; Hazle brush Dogwood & Oak undergrowth. Intersected, N. & S. line 20. lks. N. of post.
West	Blazed back connected & established half mile post from which a Cherry tree 11 in. diam. bears S. 87. E. 45. lks. dist. & a Dogwood 9. in. diam. bears N. 25. W. 23. lks.
South	Between Sec ^s 8. and 9. T. 4. S. R. 4. W.
31, 60	A W. Oak 12. in. diam.
26, 25	A B. Oak 26. in. diam.
32, 16	Intersected Boundary line Get post from which a B. Walnut 16. in. diam. bears N. 3. E. 36. lks. dist. & a W. Oak 12 in. diam. bears N. 82. E. 39. lks. dist. Soil medling quality, no undergrowth Timber, Oak, Ash, Hickory, Gum, &c.

Nov 6th 18.04.

South Between Sec? 5 & 6. T. 4. S. R. 4. W.
 36, 76 A Red Oak 26. in? diam? rough hill land.
 40, 66 Set half mile post from which from which a B. Oak
 12. in? diam? bears N. 1. W. 36. lks. dist. & a B. Oak 17.
 in? diam? bears S. 56. E. 36. lks. dist.
 64, 66 A W. Oak 17. in? diam? poor land. Oak timber
 86, 66 Set post Corner of Sec? 5. 6. 7. 8. T. 4. R. 4. S. from
 which a Hickory 16. in? diam? bears S. 25. W. 36. lks. dist.
 & a B. Oak 7. in? diam? bears N. 9. E. 26. links. dist.

East Between Sec? 5. and 8. T. 4. S. R. 4. W.
 40, 66 Over a knobby hill; thickets of briars
 56, 69 Intersected & V. of S. line 47. lks N. of post Corner of
 Sec? 4. 5. 8. & 9. Moved back, corrected and established
 half mile post from which a Hickory 7. in? diam? bears
 S. 26. W. 10. lks. dist. & a Dogwood 4 in? diam? bears
 N. 46. E. 6 links dist.

South Between Sec? 7. and 8. T. 4. S. R. 4. W.
 4. 35 Intersected Boundary line. Set post from which a
 Dogwood 5 in? diam? bears N. 26. W. 11. lks. dist. & a
 Hickory 7. in? diam? bears S. 46. E. 9. links dist.

West Between Sec? 6. & 7. T. 4. S. R. 4. W.
 15, 66 Intersected Boundary line. Set post from which a
 Birch 9 in? diam? bears N. 26. W. 8. lks. dist. & a
 Dogwood 5. in? diam? bears S. 60. E. 36. lks. dist.

West Between Sec? 10. & 15. T. 4. S. R. 4. W.
 11, 16 Intersected Boundary line. Set post from which a
 Red Oak 16. in? diam? bears S. 3. W. 9. lks. dist. & a
 Dogwood 8. in? diam? bears N. 20. W. 11. lks. dist.

East Between Sec? 11. & 14. T. 4. S. R. 4. W.
 72 56 A Stream 56. lks. wide. Course S.

T. No 4. T. R. No 4. W. 2nd Mer.

80. 15	Intersection A & G line at first Corner of Sec ^s 11. 12. 13. 14.
Nov 7 th . 1804	
East	Between Sec ^s 12. & 13. T. 4 T. R. No 4. W.
33. 14	A Stream 1.20 lks. wide, course S.
80. 40	Intersection Range line 38. lks. S. of post. Blazed back and established half Sec post from which a Birch 9. in diam ^r bears N. 16. E. 31 lks. dist. & a Gum 10. in diam ^r bears N. 27. W. 30 lks. dist. This mile is good land. Birch timber no undergrowth.
South	Between Sec ^s 13. and 14. T. 4 T. R. 4. W.
4. 50	A Stream 50. lks. wide, course S. 75. E.
5. 50	A Birch 16. in diam ^r
30. 85	Intersection Boundary line. Set post from which a Hickory 7. in diam ^r bears S. 15. W. 11. lks. dist. & a Gum 12. in diam ^r bears N. 3. E. 36 links dist. Broken land. Oak timber. For residue of this line see below +
East	Between Sec ^s 11. and 14. T. 4 T. R. 4. W.
	Blazed back and established half mile post from which a M. Oak 12. in diam ^r bears N. 87. E. 36 lks. dist. & a Hickory 10. in diam ^r bears S. 45. W. 11. lks. dist.
+ South	Between Sec ^s 14. & 13. T. 4 T. R. 4. W.
5. 00	A Brook 15. links wide, course S. E.
33. 20	A B. Walnut 15. in diam ^r
40. 00	Set half mile post from which a Gum 8. in diam ^r bears N. 45. W. 16. lks. dist. & a M. Oak 10. in diam ^r bears S. 65. E. 26. lks. dist.
78. 50	A Brook 10. lks. wide, course. E.
80. 00	Set post Corner of T. 3. 14 23. & 24. T. 4 R. 4. S. from which a Birch 15. in diam ^r bears N. 60. W. 35. lks. dist. & another Birch 20. in diam ^r bears N. 81. 30. E 55. links dist. Land muddling rich but broken.

South Between Sec. 14 and 15. J. 4. G. R. 4. W.
3. 59 Intersected Boundary line. Get post from which a W. Oak
12. in? diam? bears S. 10. N. 31. lbs. dist. & a B. Oak 24 in?
diam? bears N. 51. E. 9. lbs. dist. For residue of the line
* see ~~transcript~~ page 83

East Between Sec. 13. & 24. J. 4. G. R. 4. W. on Random line
2. 50 A Brook 10. lbs wide, Course S. E.
40. 00 Get temporary quarter Sec. post.
43. 00 Same Brook. Course N. E.
49. 00 Brook 190 lbs wide, Course S. slow Current:
51. 79 Intersected N. & S. line 1.05 lbs N. of the Sec. Corner
Land on this mile good farming soil; Timber. W. Oak & Birch.

West Between Sec. 13. & 24. J. 4. G. R. 4. W. on true line.
40. 89 1/2 Get temporary post at the average distance for quarter Sec
Corner, from which a Birch 8. in? diam? bears N. 35. E. 13.
lbs. dist. & another Birch 7. in? diam? bears S. 78. 1/2 W. 12 1/2 lbs.
51. 79 To Sec. Corner.

South Between Sec. 23. & 24. J. 4. G. R. 4. W.
40. 00 Get half mile post from which a W. Oak 12. in? diam?
bears - 23. N. 16. lbs. dist. & a Hickory 8. in? diam? bears
S. 64. E. 18 1/2 lbs. dist. The land on this half mile is very
rich, Timber, Birch, & Sugar tree.
80. 00 Get a post Corner of Sec. 23. 24. 25. & 26. J. 4. R. 4. G.
from which a W. Oak 15. in? diam? bears N. 21. N. 8. lbs. dist.
& an Ironwood 5. in? diam? bears N. 79. E. 16. lbs. dist.
Hilly. B. & W. Oak timber & land Dec. 7th. 18. 05.

East Between Sec. 24 and 25. J. 4. G. R. 4. W. on Random line
15. 00 A Brook 10. links wide, Course S. E.
21. 50 Andersons River where it is 1,68 links wide.
40. 00 Get temporary quarter Sec. post
41. 00 A Brook 12. links wide, Course S. West
44. 00 The same Brook. Course N. West
46. 00 The same Brook, Course S. West.

T. N. 4. S. R. & 1st 1/2 W. 2nd Mer

49. 50	Same Brook. Course S. W.
58. 60	Same Brook. Course S. W.
60. 37	Same Brook. Course S. W.
65. 65	Same Brook. Course S. W.
80. 85	Intersected the N. & S. line 18. lks. E. of the Sec. Corner The Land in this mile is level & rich. Timber. Birch. & Aspen
West	Between Sec? 24. & 25. T. 4. S. R. 4. W. on true line
40. 42 1/2	Set temporary post at the average distance for a Q ^r Sec. Corner from which a Sycamore 24. in? diam? bears S. 27 1/2. E. 22. lks. dist & a Sugar tree 12. in? diam? bears N. 27 1/2. W. 44. lks. dist
80. 85	To Sec. Corner.
South	Between Sec? 25. and 26. T. 4. S. R. 4. W.
5. 60	A Brook 10. links wide Course S. E.
0. 30	A Brook 10. in? diam?
5. 60	The Same Brook. Course S. W.
13. 50	Same Brook. Course S. E.
16. 60	A Brook 50. lks. wide, Course E.
40. 60	Set half mile post from which a B. Gum 20. in? diam bears S. 7. E. 38. 1/2. lks. dist & a Hickory 7. in? diam? bears S. 16 1/2. E. 18. links dist
50. 60	Set post Corner of Sec? 25. 26. 35. & 36. T 4 R 4 S. from which a W. Oak 15. in? diam? bears S. 19 E. 25. lks. dist. & a Asplen 10. in? diam? bears N. 23. 1/2. W. 10. links dist. Land in this mile. thin, hilly, & bushy, Timber; W. Oak & Hickory.
East	Between Sec? 25. & 36. T. 4. S. R. 4. W. on Random line.
40. 60	Set temporary Quarter Sec. post
43. 60	Andersons river to where it is 3. 20. lks. across it.
80. 29	Intersected the N. & S. line at the Sec? Corner. Land on the first half mile is hilly, thin soil; Timber. W. Oak. On the last half mile rich level. land. Timber Birch, Hickory, & W. Oak.

South Between Secs 35 & 36. T. 4. R. 4. N.
 5. 68 A Brook 10. lks. wide, course S.E.
 15. 58 A Gum 16 in diam.
 46. 68 Set half mile post from which a W. Oak 8. in? diam? bears N. 37. 12. W. 14. lks. dist. & an Elm 8. in? diam? bears S. 3. 1. E. 21. lks. dist.
 69. 50 A Brook 12. lks. wide, course E.
 78. 80 Set post Corner of Secs 35 & 36. on the East & West line 1. 13. lks. W. of the mile post. on the E. & W. line from which a W. Oak 10. in? diam? bears E. 56. E. 6. lks. dist. & a W. Oak 8. in? diam? bears S. 56. W. 6. lks. dist. The Land on this mile midling Soil but very broken. Timber. W. Oak & Hickory.

South Between Secs 14 & 15. T. 4. R. 4. N.
 46. 68 Set half mile post from which a Dogwood 5. in? diam? bears S. 83. W. 2. lks. dist. & a W. Oak 10. in? diam? bears N. 83. E. 17. lks. dist.
 62. 25 A Brook 10. lks. wide, course S.E.
 80. 68 Set post Corner of Secs 14. 15. 22 & 23. T. 4. R. 4. N. from which a W. Oak 10. in? diam? bears N. 45. W. 16. lks. dist. & a W. Oak 15. in? diam? bears S. 42. 36. E. 30. lks. dist. Thin brushy broken. W. Oak timber & Soil.

East Between Secs 14 & 23. T. 4. R. 4. N. On Random line
 7. 75 A Brook 10. lks. wide, course N.E.
 16. 25 A Brook 15. lks. wide, course S.
 46. 68 Set temporary Quarter Sec post.
 79. 50 Intersecting N. & S. line 1. 50. lks. S. of Sec. Corner
 Thin Oak timbered land, very hilly. Sec. 9th. 1805.

West Between Secs 14 & 23. T. 4. R. 4. N. on true line
 39. 75 Set temporary post at the average distance for Quarter Sec. Corner from which a poplar 9. in? diam? bears S. 68. E. 9. lks. dist. & a Poplar 7. in? diam? bears N. 31. W. 7. 12. lks.
 79 50 To Sec. Corner.

T. N. 4. S. R. N. 4. W. 2nd Mer.

South	Between Sec. 22. & 23. T. 4. S. R. 4. W.
5. 30	A Brook 10. lks. wide Course S. E.
40. 00	Set half mile post from which a B. Oak 24. in? diam? bears S 15. E. 23. lks. dist. & a Dogwood 6. in? diam? bears N. 12. E. 17. 1/2. lks. dist.
50, 00	Intersected by Set post corner of Sec. 22. 23. 26. & 27. from which a W. Oak 20. in? diam? bears S. 84. W. 10. lks. distant. & a W. Oak 12. in? diam? bears S. 31. E. 5. lks. dist. Thin broken Oak timbered land.
East	Between Sec. 23. and 26. T. 4. S. R. 4. W. On Random line.
31. 00	A Brook 6. lks. wide. Course S.
40. 00	Set temporary quarter Sec. post.
78. 75	A Brook 12. lks. wide, Course S.
79. 75	Intersected the N. & S. Line 1. 78. lks. S. of the Sec. Corner. This mile thin broken Oak timbered soil.
West	Between Sec. 23. and 26. T. 4. S. R. 4. W. on true line
39. 57 1/2	Set temporary post at the average distance for quarter Sec. Corner. from which a W. Oak 12. in? diam? bears N. 25. E. 16. lks. dist. & a W. Oak 11. in? diam? bears S 68. 1/2 W. 16. links distant.
79. 75	To Sec. Corner.
South	Between Sec. 26. & 27. T. 4. S. R. 4. W.
5. 50	A Brook 40. lks. wide; Course E.
14. 25	A W. Oak 15. in? diam?
40. 00	Set half mile post from which a forked B. Oak 24 in? diam? bears N. 10. E. 27. lks. dist. & a B. Oak 30. in? diam? bears S. 13. W. 34 links dist.
76 50	A Brook 20. lks. wide, Course East.
80, 00	Set post corner of Sec. 26. 27. 34 & 35. T. 4. S. R. 4. W. from which a Dogwood 5. in? diam? bears N. 47. W. 16. lks. dist. & a W. Oak 8. in? diam? bears S 64. 1/2. W. 17. lks. dist. - Poor hilly Oak timbered soil. Dogwood & Hazle undergrowth.

T. 4th 4. S. R. 4. W. 2nd. Mer.

East	Between Sec. 26. & 35. T. 4. S. R. 4. W. on Random line.
40. 00	Get temporary Quarter Sec. post.
41. 50	A Brook 20. lks. wide, course S. E.
52. 50	Same Brook, course N. E.
57. 50	The same Brook, course S. E.
80. 00	Intersects the N. & S. line 1.50. lks. S. of Sec. Corner. Land hilly & then the first half mile. the last over flat bottom
West	Between Sec. 26. and 35. T. 4 R. 4. S. on true line.
40. 00	Get temporary post at the average distance for Q. Sec. Corner from which a Hickory 15. in? diam? bears N. 2 1/2 E. 11. 1/2. lks. dist? & a B. Walnut 8. in? diam? bears S. 2 1/2 W. 18. links dist.
80. 00	To Sec. Corner.
South	Between Sec. 34. & 35. T. 4. S. R. 4. W.
12 53	A W. Oak 18. in? diam?
40. 00	Get half mile post from which a Hickory 10. in? diam bears S. 69. E. 25. lks. & a B. Oak 5. in? diam? bears S. 36. W. 32. lks. dist.
77. 10	Get post Corner of Sec. 34 and 35. on the E. and W. line. 56. lks. west of the mile post. from which a W. Oak 15. in? diam? bears S. 46. 1/2. W. 16. lks. dist. & a W. Oak 10. in? diam? bears N. 46. 1/2. E. 7. lks. dist.
	Thin W. Oak stand. Dec. 10 th 1805.
South	Between Sec. 9. & 10. from the half mile post
9. 00	A Brook 5 lks wide, course S. E.
22. 00	A Brook 40. links wide, course N. E.
40. 00	Get post Corner of Sec. 9. 10. 15. 16. T. 4 S. R. 4. W. from which a B. Oak 8. in? diam? bears N. 31 1/2 W. 9. lks dist. & a Hickory 5. in? diam? bears N. 81. E. 22 1/2 lks. dist. Land rich & broken.
East	Between Sec. 10. & 15. T. 4 R. 4. S. on Random line.
40. 00	Get temporary Quarter Sec. post.

T. 4 N. G. R. 4. W. 2nd Mer

80. 37	Intersecting N. & G. line 14 Mhs. S. of Gr. Corner. The land on this mile is thin & W. Oak timbered;
West	Between Sec. 16. & 15. T. 4 N. 4. W. on true line.
40. 15 1/2	Get temporary post at the average distance from which a Dogwood 4 in. diam? bears N. 59. W. 3. Mhs. dist. & a Hickory 5 in. diam? bears N. 79. E. 18. Mhs. dist.
80. 37	To Gr. Corner.
South	Between Sec. 15. and 16. T. 4 N. 4. W.
40. 00	A W. Oak 7 in. diam? for Quarter Gr. Corner.
80. 00	Get post Corner of Sec. 15. 16. 21. & 22. T. 4 N. 4. W. from which a W. Oak 10 in. diam? bears N. 4. E. 7. Mhs. dist. & a Dogwood 4 in. diam? bears S. 38. W. 17. Mhs. dist. Land thin & hilly. W. Oak timber. Dogwood undergrowth
East	Between Sec. 15. & 22. on T. 4 N. 4. W. Random line.
40. 00	Get temporary Quarter Gr. post.
80. 00	Intersecting the N. & G. line 10 Mhs. S. of the Gr. Corner. Land on this mile thin and very hilly & brushy. Timber. W. Oak.
West	Between Sec. 15. & 22. T. 4 N. 4. W. on true line.
40. 00	Get temporary post at the average distance for Gr. Gr. Corner. from which a poplar 7 in. diam? bears S. 6. W. 39. Mhs. dist. & a Poplar 7 in. diam? bears S. 62. E. 15. Mhs. dist.
80. 00	To Gr. Corner.
South	Between Sec. 21. and 22. T. 4 N. 4. W.
19. 25	A Brook 10. Mhs. wide, course W.
24. 25	A Hickory 1 1/2 in. diam?
40. 00	Get half mile post from which a W. Oak 20 in. diam? bears N. 20. W. 38. Mhs. dist. & a W. Oak 15 in. diam? bears S. 20. W. 35. Mhs. dist.
47. 00	A Brook 30. Mhs. wide, course S. E.
80. 00	Get post Corner of Sec. 21. 22. 27. & 28. T. 4 N. 4. W. from which a Hickory 6 in. diam? bears N. 44. E. 9. Mhs.

dist. & a B. Oak 6. in? diam? bears S. 56 1/2. N. 16. lbs. dist.
Land hilly. Timber W. & B. Oak. Hickory &c.

South Between Sec. 27. and 28. T. 4. S. R. 4. W.
40. 00 Get half mile post from which a Dogwood 6. in? diam? bears
S. 43. N. 14 1/2. lbs. dist. & a Gum 7. in? diam? bears N. 22 1/2
E. 18. lbs. dist.
73. 40 Trace leading N. W. & S. E.
80. 00 Get post corner of Sec. 27. 28. 33. & 34. from which a
B. Oak 20. in? diam? bears S. 12. N. 8. lbs. dist. & a Hickory
7. in? diam? bears S. 88. 30. E. 11. lbs. dist. Soil middling
W. Oak & B. Oak. Dogwood under brush.

East Between Sec. 27. & 34. T. 4. S. R. 4. S. on Random line.
12. 40 Trace leading South E. & N. W.
40. 00 Get temporary 1/4 Sec post.
54. 50 A Brook 15. lbs. wide. Course N. E.
80. 00 Intersected the N. & S. line 30. lbs. S. of Sec Corner.
This mile is broken. Timber. W. & B. Oak, Hickory, and
Dogwood under brush.

West Between Sec. 27. & 34. T. 4. S. R. 4. W. on true line.
40. 00 Get temporary post at the average distance for quarter
Sec. corner. from which a Dogwood 7. in? diam? bears S. 86 1/2
E. 12. lbs. dist. & a W. Oak 12. in? diam? bears S. 86 1/2. W. 28. lbs.
80. 00 To Sec. corner.

South Between Sec. 33. & 34. T. 4. S. R. 4. W.
31. 50 A Brook 25. lbs. wide; Course S. 10. E.
40. 00 Get half mile post from which a B. Oak 20. in? diam? bears
N. 25. E. 20. lbs. dist. & a Hickory 7. in? diam? bears S. 25. W. 25 1/2
75. 55 Get post corner of Sec. 33. & 34. on the E. & W. Range line
27. lbs. E. of the mile post. from which a W. Oak 10. in? in
diam? bears S. 7 1/2. W. 19. lbs. dist. and a W. Oak 5. in? in
diam? bears N. 62. W. 16. lbs. dist.
Land hilly and brushy. Timber W. Oak.

T. No. 4. S. No. 4. W. 2nd. Mer.

South	Between Sec ^s 8. & 9. T. 4. S. No. 4. W.
40. 00	Get half mile post from which a Gum 5. in ^d diam ^r bears S. 42 1/2 E. 11. lks. dist. & a B. Oak 12. in ^d diam ^r bears S. 78. W. 15. lks. dist.
59. 25	A Brook 12. lks. wide Course E.
65 22	A M. Oak 12 in ^d diam ^r
80. 00	Get post Corner of Sec ^s 8. 9. 16. & 17. T. 4 R. 4. S. from which a M. Oak 12 in ^d diam ^r bears N. 84 1/2 E. 16. lks. dist. & a M. Oak 12. in ^d diam ^r bears S. 38. W. 12. lks. dist. Land hilly. Timber. M. & B. Oak & Hickory.
East	Between Sec ^s 9. and 16. T. 4 R. 4. S. on Random line
40. 00	Get Temporary Quarter Sec. post.
49. 00	A Brook 10. links wide Course N.
79. 00	Intersecting the A. & S. line 26. lks S. of post corner Section Land hilly. Timber. M. & B. Oak.
West	Between Sec ^s 9. & 16. on true line T. 4 S. R. 4. W.
39. 54	Get Temporary post at the average distance for Quarter Sec ^s Corner, from which a Dogwood 4. in ^d diam ^r bears S. 60 1/2. E. 9. lks. dist. & a Hickory 16. in ^d diam ^r bears N. 30. W. 21. links dist.
79. 54	Section Corner
South	Between Sec ^s 16. & 17. T. 4. S. No. 4. W.
40. 00	Get half mile post from which a Dogwood 5. in ^d diam ^r bears N. 73 1/2. W. 19. lks. dist. & a Hickory 10. in ^d diam ^r bears N. 81. E. 34. lks. dist.
41. 37	A B. Oak 20. in ^d diam ^r
80. 00	Get post corner of Sec ^s 16. 17. 20. & 21. T. 4. S. No. 4. W. from which a Dogwood 4 in ^d diam ^r bears S. 19 1/2 W. 8. lks. dist. & another Dogwood 5. in ^d diam ^r bears N. 12. W. 12. lks. dist. Land hilly. Timber M. Oak & Hickory. Dogwood underbrush
East	Between Sec ^s 16 & 21. on Random line T. 4 R. 4. S.

29. 25	A Brook 8. links wide, course N. E.
40. 40	Set temporary Quarter Sec. post
50. 00	A Brook 15. lks. wide, course S.
80. 00	Intersected N. & S. line at Sec. Corner The land on this mile is medling soil; Timber W. Oak & Hickory.
West	Between Sec. 16. & 21. J. 4. J. R. 4. W. on true line
40. 00	Set temporary post at the average distance for Quarter Sec. Corner from which a W. Oak 10. in. diam. bears N. 48. E. 25. lks. dist. & a Gum 6. in. diam. bears S. 43. W. 29. lks. dist.
80. 00	Section Corner
South	Between Sec. 20. & 21. J. 4. J. R. 4. W.
40. 00	Set half mile post from which a W. Oak 15. in. diam. bears S. 13. W. 2 1/2. lks. dist. & a W. Oak 10. in. diam. bears N. 26. E. 13. lks. dist.
78. 50	A Brook 10. lks. wide, course W.
80. 00	Set post corner of Sec. 20. 21. 28. 29. J. 4. J. R. 4. W. from which a W. Oak 10. in. diam. bears N. 14. E. 26. lks. dist. & a W. Oak 8. in. diam. bears South 11 1/2 links dist. Land on this mile broken; Timber W. Oak & Hickory.
East	Between Sec. 21. & 28. on Random line J. 4. J. R. 4. J.
40. 00	Set temporary Quarter Sec. post.
80. 15	Intersected the N. & S. line at post corner of Section. Land on this mile medling for farming Timber. W. & B. Oak. Hickory. &c. Logwood underbrush. Sec. 12. 1805.
West	Between Sec. 21. & 28. on true line J. 4. J. R. 4. W.
40. 07 1/2	Set temporary post at the average distance for Quarter Sec. post from which a Hickory 10. in. diam. bears N. 30. E. 21. lks. dist. and a Logwood 6. in. diam. bears S. 18. E. 16. lks. dist.
80. 15	To Sec. Corner.
East	Between Sec. 22. & 27. on Random line. J. 4. J. R. 4. W.

T. 4. G. R. No. 4. W. 2nd Mer.

30. 50	A Brook 10. links wide, course N.E.
38. 00	A Brook 20. lks. wide, course S. 80. E.
40. 00	Get temporary quarter Sec. post.
50. 00	Intersected N. & S. line 15. lks. S. of Sec. Corner. Land on this mile is principally flat. Timber Hickory & Oak
West 40. 00	Between Sec. 22 & 27. on true line T. 4 R. 4. S. Get temporary post at the average distance for Op. Sec. Corner, from which a Hickory 16. in? diam? bears S. 57. W. 3. 1/2. lks. dist & a Poplar 6. in? diam? bears N. 57. E. 9. links dist
South 15. 25 40. 00 50. 00	Between Sec. 28 & 29. T. 4. S. R. 4. W. Trace leading E. & W. Get half mile post from which a Sassafras. 5. in? diam? bears S. 68. W. 11. lks. dist & a Sassafras. 7. in? diam? bears N. 76. E. 16 lks. dist Get post Corner of Sec. 28. 29. 32. 33. T. 4 R. 4 S from which a Hickory 8. in? diam? bears S. 24. W. 10. lks dist & another Hickory 16. in? diam? bears N. 58. E. 32. lks. dist Land on this mile is muddling for forming Timber. W. & B. Oak.
East 40. 00 60. 50 50. 50	Between Sec. 28 and 33. on Random line. T. 4. R. 4. S. Get temporary quarter Sec. post. The land on this mile is convenient for farming. Timber W. & B. Oak & Hickory A Brook 10. lks. wide, course S. Intersected the N. & S. line 15. lks. N. of Sec. Corner.
West 40. 25 50. 50	Between Sec. 28 & 33. on true line T. 4. S. R. 4. W. Get temporary post at the average distance for Op. Sec Corner, from which a W. Oak 24. in? diam? bears N. 82 W. 18. lks. dist & a W. Oak 15. in? diam? bears N. 13. E. 20. lks. dist To Section Corner.

Dec. 13th 1805.

South	Between Sec. 32 & 33. T. 4. S. R. 4. N.
27. 90	A Oak 10. in ² diam ^r
40. 10	Get half mile post from which a B. Oak 15. in ² diam ^r bears N. 37. E. 20. lbs. dist. & a Hickory 5. in ² diam ^r bears S. 17. W. 21. lbs. dist.
71. 10	Intersecting the E. & W. line at the post corner of Sec. No 4 & 5. in Town 5. South Range No 4. West. which post is corner of Sec. 32. & 33. in Town 4. Range 4. Thin, broken, brushy. Oak timber, soil
West	Between Sec. 6 & 7. T. 4. S. R. No 4. W.
17. 10	A Brook 12. lbs. wide, course N. W.
40. 11	Get half mile post from which a Hickory 10. in ² diam ^r bears S. 3. W. 3 1/2. lbs. dist. & another Hickory 7. in ² diam ^r bears N. 3. E. 8. lbs. distant.
86. 17	Get post corner of Sec. 6 & 7. on the N. & S. line 9. 87. lbs. S. of the corner from which a Dogwood 5. in ² diam ^r bears N. 54. E. 13. lbs. & a Dogwood. 5. in ² diam ^r bears S. 51. W. 9. lbs. dist. This land brushy. Timber, Oak, & Hickory &c.
South	Between Sec. 7 & 8. T. No 4. S. R. No 4. W.
28. 25	A Brook 10. lbs. wide, course N. W.
40. 60	Get half mile post from which a Birch 24 in ² diam ^r bears N. 77. W. 27. lbs. dist. & a Dogwood 5. in ² diam ^r bears N. 67. E. 23. lbs. dist.
50. 60	Get post corner of Sec. 7. 8. 17. & 18. T. 4 R. 4. S. from which a Hickory 4. in ² diam ^r bears N. 64. W. 16. 1/2 lbs. dist. & a Hickory 5. in ² diam ^r bears S. 28. E. 5. lbs. dist. Land hilly, Timber, B. Oak & Hickory, Dogwood underbrush
East	Between Sec. 8 & 17. T. 4. S. R. 4. W. on Random.
40. 60	Get temporary quarter Sec. post
71. 50	A Brook 8. links wide course S.
80. 50	Intersecting the N. & S. line 2 chains S. of the Sec. corner. Thin, hilly, Oak timber & land

T. L. S. R. N^o 4. W. 2nd Mer.

West	Between Sec ^s 5. & 17. on true line T. 4. S. R. 4. W.
46. 25	Get temporary post at the average distance for Quarter Sec Corner, from which a B. Oak 24 in? diam? bears S. 40. W. 35 lbs. dist. to a W. Oak 20 in? diam? bears N. 78. E. 41 lbs.
56. 50	To Sec. Corner.
West	Between Sec ^s 7. & 18. T. 4. S. R. 4. W.
46. 00	Get half mile post, from which a Hickory 10 in? diam? bears N. 69. W. 15 lbs. dist. to a Dogwood 4 in? diam? bears S. 62. E. 23 lbs. dist.
77. 75	A Brook 10 lbs wide, course N. W.
56. 40	Get post Corner of Sec ^s 7. & 18. T. 4. on the N. & S. line 9. 56 lbs. S. of the Sec ^s Corner T. 4. R. 5. from which a W. Oak 12 in? diam? bears S. 8. W. 10 lbs. dist. to a Dogwood 6 in? diam? bears N. 10. E. 40 lbs. dist. This land is mitting for farming; Oak & Hickory timber.
South	Between Sec ^s 17. & 18. T. 4. S. R. 4. W.
40. 00	Get half mile post from which a W. Oak 20 in? diam? bears S. 50. E. 9 lbs. dist. to a W. Oak 7. A. 10 ^{1/2} lbs. dist.
53. 25	Trace leading N. W. & S. E.
56. 00	Get post Corner of Sec ^s 17. 18. 19. 20. T. 4. S. R. 4. W. from which a W. Oak 20 in? diam? bears S. 10. W. 21 lbs. dist. to a W. Oak 20 in? diam? bears N. 50. W. 49 lbs. dist. Hilley, Oak timber, land.
East	Between Sec ^s 17. & 20. on Random line. T. 4. S. R. 4. W.
1. 00	A Brook 7 links wide; runs S. W.
16. 75	A Trace leading N. W. & S. E.
33. 00	A Brook 10 links wide; runs S.
40. 00	Get Temporary Quarter Sec. post.
61. 00	A Brook 10 lbs. wide; runs S. W.
80. 66	Intersected the N. & S. line 200 lbs. S. of the Sec. Corner Land hilly, Timber. W. & B. Oak. Dogwood. underbrush.
West	Between Sec ^s 17. & 16. on true line. T. 4. S. R. 4. W.

40.33	Get Temporary post at the average dist. for Quarter Sec. Corner from which a poplar 10. in. diam. bears S. 6. E. 16 lks. dist. & a Mr Oak 20. in. diam. bears N. 25. W. 27 lks. distant.
80. 66	To Sec. Corner.
West	Between Sec. 18 & 19. S. 4. T. R. N. 4. W.
40. 00	Get half mile post from which a Hickory 10. in. diam. bears N. 23 1/2. W. 3. lks. dist & a Gum 5. in. diam. bears N. 74. E. 9 1/2 lks. dist.
87. 31	Get post Corner of Sec. 18. & 19. S. 4. T. R. 4 W. on the N. & S. line 10. chains & 67. lks. S. of Sec. Corner in S. 4. R. 5. from which a B. Oak 8. in. diam. bears S. 72. E. 20. lks. dist. & a Mr. Oak 12. in. diam. bears N. 18. W. 21. lks. dist. Level. Oak timbered land. Dec. 30 th . 18 05.
South	Between Sec. 19. & 20. S. 4. T. R. N. 4. W.
4. 00	A Brook. 8. lks. wide. Course S. W.
40. 00	Get half mile post. from which a Birch 10. in. diam. bears S. 64. E. 7. lks. dist. & a Birch 15. in. diam. bears N. 56. W. 28 lks.
40. 05	A Brook 10. lks. wide, Course S. E.
80. 00	Get post Corner of Sec. 19. 20. 29. 30. S. 4. T. R. 4 W. from which a Mr Oak 10. in. diam. bears N. 35. E. 9. lks. dist. & a Mr. Oak 10. in. diam. bears S. 28. 1/2 W. 7. lks. distant This land is broken. Timber. Oak & Hickory.
East	Between Sec. 20. & 29. on Random line S. 4. T. R. 4 W.
6. 25	A Brook 10. links wide, Course S.
14. 00	A Brook 15 lks. wide. Course S. W.
40. 00	Get temporary Quarter Sec. post.
70. 75	A Trace leading N. W. & S. E.
79. 64	Intersecting S. & S line 2. 80. lks. S. of the Sec. Corner Land broken & lousy. Timber Oak and Hickory.
West	Between Sec. 19. & 30. S. 4. T. R. N. 4. W.
40. 00	Get half mile post from which a Hickory 12. in. diam. bears N. 52. W. 4. lks. dist. & a Hickory 15. in. diam. bears

T. N^o 4. G. R. N^o 1. W. 2nd Mer

	G. 44. E. 36. lks. dist
87. 30	Get post Corner of Sec ^y 19. & 30. on the N. & G. line & ch ^y & 65. lks. S. of Sec. Corner. in Town 4. Range 5. from which a W. Oak 12. in ^y diam ^r bears G. 41. E. 33. lks. dist & a W. Oak 10. in ^y diam ^r bears N. 40. E. 2. lks. dist. Land broken & brushy. Timber. W. & B. Oak &c.
South	Between Sec ^y 29. & 30. T. 4. G. R. N ^o 4. W.
40. 11	Get half mile post from which a W. Oak 15. in ^y diam ^r bears N. 52. W. 5 lks. dist. & a W. Oak 6. in ^y diam ^r bears G. 60. E. 19. lks. distant.
56. 11	A Brook 40 lks. wide. course S. W.
51. 11	Get post Corner of Sec ^y 29. 30. 31. & 32. T. 4 R. 4 G. from which a B. Walnut 6. in ^y diam ^r bears G. 5. W. 25 links dist & a Poplar 10. in ^y diam ^r bears N. 30. E. 34. lks dist. Long flat. Timber W. Oak & Gum.
East	Between Sec ^y 29. & 32. on Randem line. T. 4. G. R. 4. W.
40. 11	Get temporary Quarter Sec. post.
79. 50	Intersected the N. & G. line 2. ch ^y S. of the Sec. Corner this land very hilly & brushy. Timber, Oak.
West	Between Sec ^y 29. & 32. on true line. T. 4. G. R. 4. W.
39. 75	Get temporary post at the average distance for Quarter Sec. post, from which a W. Oak 10. in ^y diam ^r bears G. 9. 1/2. W. 25. lks. dist & a W. Oak 15. in ^y diam ^r bears N. 15. W. 26. lks.
79. 50	To Sec. corner.
West	Between Sec ^y 30. & 31. T. 4. G. R. 4. W.
11. 35	A Brook. 40. lks. wide course S. W.
33. 25	A Brook 5. lks. wide. course S. E.
40. 01	Get a half mile post from which a Maple 10. in ^y diam ^r bears S. 29. E. 16. lks. distant. & a Cherry 5. in ^y diam ^r bears N. 33. W. 29. lks. dist.
88. 00	Get post Corner of Sec ^y 30. & 31. on the N. & G. line & ch ^y & 55. lks. S. of the Sec. Corner in Town 4. Range 5. from which

T. 4. S. R. 14. W. 2nd Mer.

a. W. Oak 24 in? in diam? bears S. 76. E. 28. lbs. dist. & a
W. Oak 20 in? diam? bears N. 76. W. 19 1/2. lbs. distant
Hilly, thin soil; W. Oak & Hickory. Timber;

Dec. 31st 18. 05.

Genlth Between Sec. 31. & 32. T. 4. S. R. 14. W.
25. 60 A Brook 10 lbs. wide course S. W.
40. 00 Get half mile post from which a Gum 15 in? diam? bears S.
7 1/2. E. 8. lbs. dist. & a Gum 20 in? diam? bears N. 66. W. 15 lbs. dist
71. 37 Get post corner of Sec. 31. & 32. on the E. & W. line 208 lbs. E.
of the mile post. from which a Hickory 7 in? diam? bears
S. 25. W. 8. lbs. dist. & a W. Oak 10 in? diam? bears N. 60 1/2.
E. 16 1/2. lbs. dist. This mile level land. Timber, Oak &
Hickory. Spice & Logwood, underbrush.

Meanders of Andersons. River in Town N. 4. Range 4. West.

Commenced at the S. Boundary of T. 4. R. 14 and Meanders
up the River through Towns 4. Range 4 as far as the Old S. Boundary

Course.	Dist	Remarks.
N. 73. W. 2.	90	At one chain. a Brook 12 links wide on the N. side.
N. 48. E	8. 08	
N. 50 E	9. 53	
N. 59 E	5. 06	
N. 66. 36. E	6. 19	This mouth of a Brook 12 links wide on the N. W. side.
N. 75. E	6. 60	
N. 79. E	13. 47	
N. 50. E	12. 56	
N. 9. 30. W.	14. 00	
N. 75. 30. W.	4. 60	
N. 51. W.	3. 53	
N. 35. W.	8. 75.	
N. 13. 30. W.	4. 50	
N. 28. 30. E	9. 43	

J. N. H. G. B. N. H. W. 2nd Mer

Courses	Dist	Remarks.
N. 42 W.	8. 43	Where the E. & W. line crosses the River between Sec. 25 & 36.
N. 50. W.	6. 30	
N. 54. 30 W.	3. 66	
N. 47. W.	12. 69	
N. 16. W.	3. 67	
N. 38. E	3. 16	
N. 71. E	9. 60	
N. 44. E	6. 28	
N. 12. W.	7. 76	
N. 26. 30 W.	10. 50	
N. 52. W.	6. 20	A 3 rd ch? a Brook 40. lks. wide from the W. to where the River is two chains wide.
N. 38. W.	5. 25	
N. 26. W.	4. 96	
S. 75. W.	3. 56	A 2. 50. the mouth of a Brook 50 links wide.
N. 62 W.	6. 82	
N. 21. W.	5. 75	
N. 33. E	6. 13 1/2	
N. 27. E	11. 00	The mouth of a Brook 20. lks. wide comes in on the N. E.
N. 31. W.	4. 25	
N. 6. E	4. 71	A 1. 50. lks a Brook 15. lks. wide on the N. W. Side at the End of the Course the E. & W. line between Sec. 24 & 25.
N. 19. E.	3. 38	
N. 65. 30 E	3. 13	
S. 75. 30. E	5. 70	
N. 7. E.	5. 59	
N. 41. E	10. 74	
N. 23. W.	5. 95	
N. 6. E	6. 40	
N. 42. E	3. 05	
N. 68. E	2. 25	
N. 55. E	6. 55	
N. 19. E	15. 28	The River 2. 50 links wide; stem current.
N. 8. W.	6. 23	
N. 39. E	3. 12	

Courses	Dist.	Remarks
N. 59. E	9. 66	
N. 6. W	5. 60	
N. 25 W	5. 85	
West	2. 90	
S. 53. 30. W	6. 75	
S. 81. W	5. 77	
N. 31. W	4. 75	
N. 46. E	11. 60	At 2 chains a Brook 10 lbs. wide on the N. W. side.
N. 25 W	5. 38	At 2. 38 the E. & W. line between Sec. 13 & 24.
N. 31. W	5. 97	
N. 10. E	1. 79	
N. 25. E	10. 10	
N. 30. W	6. 09	
N. 24. 30. E	9. 04	
N. 11. W	1. 75	The Indian Boundary line.

Surveyed by Arthur Henrie, & Nahum Bent.

* South Between Sec. 13, and 14 T. 4 S. R. 4 W.
 5. 00 A Brook 15 lbs. wide, runs S. E.
 33. 20 A B. Walnut 15. in. diam.
 70. 00 Set half mile post from which a Gum 8 in. diam. bears
 N. 45. W. 10 lbs. dist. & a W. Oak 10. in. bears S. 65. E. 26 lbs.
 78. 50 A Brook 10 lbs. wide. Course E.
 80. 00 Set post/Corner of Sec. 13. 14. 23. & 24. from which a Brook
 15. in. diam. bears N. 60. W. 35 lbs. dist. & a Brook 20. in.
 diam. bears N. 81 1/2 E. 55 lbs. dist.
 This land is mostly rich, but Broken.

I certify that the foregoing transcript of the field notes
 of Township N. 4 South, Range N. 4 West
 2nd Mer, Indiana, has been compared and found
 to be correct.

Sur. Genl's Office, Cin. Sept. 1. 1839

E. J. Cairnes
 Sur. Genl.

T.S. 124 N. 2.^d Mer. Indiana

Nest Between Sec. 6, T. 12. S. Sec. 31, R. 4. W.

40.00 Set the 9. Sec. post, from which

a Gum 16 in. dia. bears N 47° W 55 lks. dist. 7

a W. Oak 26 " " " S 10 E 56 " "

62.60 a Brook 10 lks. wide Cr. S. W.

67.35 a Beech 12 in. dia.

76.45 Same Brook Course S. W.

80.00 Set a post Cor. to Town N. 1/2 16. Range 4 & 5 W. from which

a Beech 18 in. dia. bears N 19° W 32 lks. dist. 7

a Hickory 8 " " " S 14° W 25 " " This mile

wary land timber Beech, some Sugar tree & ash but little undergrowth Soil good.

Oct. 15.th 1874 — E. Buckingham D. S.

Comp.

Township N. 4 South, of Range N. 4 W. 2.^d Mer. Indiana.

Nest along the North boundary of T. 5 S. R. 4 W. 1.st mile

10.30 a Beech 17 in. dia.

40.00 Set half mile post, from which

a Beech 11 in. dia. bears N 86 E 21 lks. dist. 7

an Ash 4 " " " S 44 1/2° W 4 " "

49.15 an Elm 9 in. dia.

65.00 a Creek 100 lks. wide Cr. S. E. a Mill Seat, just above a branch puts into the Creek on the west side.

80.00 Set a mile post with one notch, from which

a Red Oak 12 in. dia. bears N 85 1/2° W 13 lks. dist. 7

a Hickory 2 " " " S 26 E 2 " "

Land this mile, the E. side of the Creek very good being part rich bottom the balance, rich upland; the West side of the Creek is broken & poor; timber Beech, Ash, Poplar, Sugar tree, Oak & Hickory.

Nest 2.^d mile along N. boundary T. 5 S. R. 4 W

10.60 a Branch 5 lks. Cr. S. E.

22.90 a W. Oak 12 in. dia.

T⁵S. R⁴W. 2^d. Mer. Indiana

40.00 Set half mile post, from which
 a Hickory 6 in. dia. bears N 24 $\frac{1}{2}$ E 9 lks. dist. &
 a Do 13 " " " S 1 E 9 " "

80.00 Set a mile post with 2 notches, from which
 a Dogwood 6 in. dia. bears S 9 W 14 lks. dist. &
 a W. Oak 12 " " " N 2 W 3 " "

Land this mile part hilly & part level, the hilly part
 stony & poor; the level part tolerably good farming land
 timber Oak, Gum, Dogwood &c.

Nest 3^d Mile along the N. boundary of T⁵S. R⁴W

9.80 a P. Oak 20 in. dia.

23.19 to a blazed trace leading N.W. supposed to lead from the mouth
 of Sinkings to Vincennes.

40.00 Set a half mile post, from which
 a Hickory 20 in. dia. bears S 16 E 13 lks. dist. &
 a Do 10 " " " N 66 W 15 " "

71.00 a Branch 12 lks. wide Cr. S.W.

80.00 Set a mile post with 3 notches, from which
 a Alb. Gum 12 in. dia. bears N 64 W 13 lks. dist. &
 a White Oak 7 " " " N 63 $\frac{1}{2}$ E 13 " "

Land this mile lies rolling & well for cultivation, is
 of tolerable farming land; timber generally Oak
 underg. Spice Sassafras &c.

Nest 4th Mile along the N. boundary of T⁵S. R⁴W

1.28 a W. Oak 18 in. dia.

40.00 a W. Oak 15 in. dia. half mile tree, from which
 a Dogwood 4 in. dia. bears South 18 lks. dist. &
 a W. Oak 18 " " " N 6 W 17 " "

51.30 a W. Oak 11 in. dia.

80.00 Set a mile post with 4 notches, from which
 a Red Oak 6 in. dia. bears S 49 W 8 lks. dist. &
 a Hickory 2 " " " N 14 $\frac{1}{2}$ E 11 " "

Land this mile, part level & part hilly thin soil
 timber generally Oak & Hickory.

S. S. P. C. 4 N. 2^d. Mer. Indiana

West 5th Mile along the N. boundary S. S. P. C. 4 N
18.50 a W. Oak 20 in. dia.

40.00 Set a half mile post, from which
a B. Oak 8 in. dia. beam N 47 1/2 W 15 lks. dist. 1/2
a Dogwood 4 " " " S 56 1/2 E 10 " "

80.00 Set a mile post with 5 notches, from which
a W. Oak 15 in. dia. beam N 16 W 9 lks. dist. 1/2
a Bk. Oak 3 " " " S 43 E 3 " "

Land this mile level; timber mostly Oak under-
growth, Dogwood, Hazel & Red Bud &c.

West 6th Mile along the N. boundary of S. S. P. C. 4 N

8.20 a W. Oak 18 in. dia.

20.20 a Branch 25 lks. wide runs S. W. lies flat no apparent fall

40.00 Set half mile post, from which
a W. Oak 13 in. dia. beam S 80 W 15 lks. dist. 1/2
a Hickory 14 " " " N 28 E 4 " "

64.25 an Elm 8 in. dia.

67.00 a Branch 8 lks. wide Course S. W.

80.00 Set a mile post with 6 notches Corner to Townships
5 & 5 South of the Pass line, & Ranges 4 & 5 West of the 2^d.
Meridian, from which

a Hickory 20 in. dia. beam S 59 1/2 W 26 lks. dist. 1/2

a B. Oak 20 " " " N 51 E 16 " "

Land this mile flat & generally wet, some of good quality.
timber Oak, Elm, Hickory, undg.th Alder, Briers &c.

August 8th 1805, Surveyed by William Pector D. S.

East Boundary (South of the Vincennes tract)

September 15th 1805

South from the gr. Sec. post on the East line of Range 4 N
S 4 South 1/2 of Section 13

18.06 Intersected the South line of the Vincennes tract

40.00 Set a post Cor. to Sec. 13 & 24, from which
a B. Oak 18 in. dia. beam S 49 W 33 lks. dist. 1/2
a Dogwood 4 " " " N 85 E 35 " "

S. 4 S. 1 C. 4 W. 2^d. Mer. Indiana

This mile is hilly, poor land, timber W. B. Oak,
undergth is Greenbrier & Dogwood

South On E. boundary of Sec. 24

25.75 a Poplar 36 in. dia.

40.00 Set the q. Sec. post, from which

a Beech 18 in. dia. bears N 72 E 22 lks. dist. &

a do 12 " " " S 45 E 32 " "

70.50 a Beech 10 in. dia.

80.00 Set a post Cor. to Sec. 24 & 25, from which

a Beech 10 in. dia. bears N 62 E 31 lks. dist. &

a Beech 12 " " " S 72 E 22 " "

The north $\frac{1}{2}$ of this mile is poor hilly land, the south
 $\frac{1}{2}$ is rich level land, timber Beech, Poplar & some
Oak, undergth Spice

South On E. boundary of Sec. 25

16.50 a Gum 18 in. dia.

40.00 Set the q. Sec. post from which

a Beech 8 in. dia. bears N 20 E 14 lks. dist. &

a Ironwood 4 " " " S 42 E 12 " "

80.00 Set a post Cor. to Sec. 25 & 36, S. 4 S. 1 C. 4 W. from which

a Beech 8 in. dia. bears S 42 E 37 lks. dist. &

a do 6 " " " S 14 W 16 " "

This mile is all Beech bottom suitable for meadow
undergrowth Spice.

South On E. boundary of Sec. 36

40.00 Set the q. Sec. post, from which

a Beech 10 in. dia. bears N 67 W 10 lks. dist. &

a do 4 " " " N 66 E 28 " "

45.50 a Beech 18 in. dia.

60.75 a do 18 " "

80.10 Intersected the Base line 1.16 lks. West of the 6th mile
post, set a post Cor. to Sec. 36, S. E. Cor. of Town 4 & 4
Ranger 3 & 4 W. from which

L & L R & W. D. Mer. Indiana

447

a Beech 10 in. diam. bears N 42 E 21 lks. dist. &

a Do 11 " " " N 74 W 37 " "

This mile 1st rate level rich land, timber Beech, Poplar
& Sugar, undergth Spice.

Surveyed by Elias Pector, L. S.
Comp.

Township N. 5 South, of Range N. 4 W. 2^d Meridian
East Boundary

Sept. 15th 1805. Began at the Corner of Townships
5 & 5 South, Range 3 & 4 W. & run the range line South.

South along the E. boundary of Sec. 1, T. 5 S. R. 4 W.

17.00 a fork of Anderson's River 100 lks. wide runs S. E.

24.00 a Beech 24 in. diam.

40.00 Set the q. Sec. post, from which

a Beech 18 in. diam. bears N 65 E 22 lks. dist. &

a Maple 6 " " " N 68 E 32 " "

56.75 an Ash 28 in. diam.

65.75 a Poplar 48 " "

80.00 Set a post Cor. to Sec. 1, 12, T. 5 S. R. 4 W. from which

a W. Oak 6 in. diam. bears N 77 E 17 lks. dist. &

a Do 6 " " " N 30 E 29 " "

Land this mile Rich bottom, timber Beech, Poplar,
Sugartree &c. undergth Spice bushes &c

South along the E. boundary of Sec. 12, T. 5 S. R. 4 W. Sept. 16. 1805.

2.70 a W. Oak 24 in. diam.

40.00 Set the q. Sec. post, from which

a Beech 24 in. diam. bears S 44 E 40 lks. dist. &

a Do 20 " " " N 26 E 29 " "

45.50 a W. Oak 14 in. diam.

80.00 Set a post Cor. to Sec. 12 & 13, T. 5 S. R. 4 W. from which

a Logwood 5 in. diam. bears N 70 E 28 lks. dist. &